

PRODUCT INFORMATION

MODEL OD2210 MON AMOUR

© 2022 KURT BEIER & KATI QUINGER



Functional back and functional armrest
(fig. functional armrest, right)



Relax



Reclining position






OD MON AMOUR: ABOVE THE CLOUDS.

THE GREAT SEDUCTION OF ESCAPING THE SOLID GROUND, FEELING THE WING OF THOUGHT. THE NEW BULLFROG ROCKING SOFA MAKES IT POSSIBLE TO LOUNGE, TO ENJOY THE SWINGING WHILE SITTING OR LYING DOWN. FROM SITTING TO RELAXING IN JUST A FEW EASY STEPS. OUR TRIED AND TESTED CONSTRUCTION WITH THE MULTI-ADJUSTABLE BACK AND ARM SECTION ALLOWS MANY CASUAL POSITIONS! UNIQUE PIECE PRODUCTION.

Base frame: metal, matt black fine structure powder-coated
Attention! Maximum load: 200 kg



Processing options of main seam / decorative seam

| | Plain seam | Lap seam | KR* (zipper piping) Extra charge | Overcast seam Extra charge | Biese |
|-----------------|---|---|---|---|---|
| |  |  |  |  |  |
| Outdoor fabric | x | | | | |
| Outdoor leather | x | | | | |

*Zipper piping: optionally in the colours black, red, nature or light grey.

Outdoor innercover

Additional protection against moisture penetration is provided by an inner cover made of waterproof fabric. The inner cover can be selected for the respective model at an extra charge.

Please specify when ordering.

Mounting material for rocking sofa Mon Amour (specify when ordering)

optionally:

- Concrete ceiling attachment* **SPB** or
- Wood ceiling attachment* **SPH**
- Assembly set for made-to-measure products (for an extra charge):
the clearance (floor to ceiling) must be specified exact to the centimetre (inch-perfect).
- Fastening set for FROGswing* **SPRF**

Delivery scope for Ceiling attachment:


- Fixing material for rocking joints (**concrete or wood**) (depending on order)
- Plastic coated wire rope: 4 pieces
- Rocking joints incl. carabines: 2 pieces
- 1 x Drilling template


Delivery scope for FROGswing:

- Fixing material for rocking joints **Frogswing**
- Plastic coated wire rope: 4 pieces
- Rocking joints incl. carabines: 2 pieces

* **The rocking joints are galvanised metal as standard.** For damp rooms such as wellness areas or in salty climates, the rocking joints can be ordered in V2A or V4A at an extra charge. **Please specify with order.**

Seat height at 238 cm (ceiling height/FROGswing): approx. 56 cm (center suspension point)
3 adjustment possibilities in 5 cm steps (possible seat heights with standard rope is approx. 51 cm / 56 cm / 61 cm)
 The standard rope is suitable for a ceiling height of 233 cm - 243 cm.







Side view (Aufhängung P2)

Front view type 257 (Suspension P2)

Types with solid seat (Dimensions folded down)




Sofa 2,5-seat
armrest left
258




Sofa 2,5-seat
armrest right
257

Rocking frame OD2216 FROGswing (see price list OD2216 FROGswing)



Front side, rocking frame



Front view, rocking frame, open at the front
with sun canopy and weather protection



Weather protection



Sun canopy

Protective cover (waterproof):

Protective cover for type 257/258: **SH257**

Each piece of furniture is handmade and unique. Deviations to the listed measurements may be caused by:
1. different upholstery materials (fabric, leather), 2. processing of ticking mats, 3. the pressure to combine individual parts, etc.
The seat comfort of a sofa type with larger seat depth usually differs from one with lower depth.